

Name Index

A

Abrams, A. L.: 232, 236, 238, 244, 246, **253**.
 Addis, R. S.: 42, **46**.
 Agarwala, S.: 232, 236, 242, 244, 247, 249, **253**.
 Ainsworth, M. D. S.: **56**, 130, **134**.
 Aird, R. B.: 85, **94**.
 Albino, V. J.: 232, 236, 242, **255**.
 Alderton, H. R.: 186, **188**, 232, 236, 243, 246, 248, 252, **253**.
 Alexander, S.: 31, **36**.
 Allen, L.: **135**, **147**, **172**.
 Amatruda, C. S.: 26, **27**.
 Anderson, F. N.: 118, **134**, 247, **253**.
 Andrew, J.: 33, **36**.
 Angell, J. C.: 156, 163, **171**.
 Apley, J.: 35, **36**, 157, **171**, 271, **275**.
 Ardali, C.: **193**.
 Ashby, M. C.: **94**.
 Atthowe, J. M.: 208, **209**.
 Ayers, M. A.: **36**.
 Ayres, C. M.: 232, **253**.
 Azren, N. H.: 309, **310**.

B

Baker, B. L.: 120, 128, 129, **134**, 196, 198, 201, 202, 206, 207, **209**, 291, **291**, 297, **300**.
 Bakwin, H.: xiii, 10, **20**, 73, 74, 75, **76**, 145, 147, 157, 158, 159, 161, 162, 165, 169, 170, **171**, **253**, 292, 307.
 Bakwin, R. M.: 10, **20**.
 Baller, W.: 201, **209**.
 Bandura, A.: 14, **20**.
 Barbour, R. F.: 10, **20**, 87, **94**, 119, **134**, 156, 157, 158, 159, 163, 170, **171**.
 Barnes, E. H.: 232, 235, 236, 242, 246, **255**.
 Bauersfeld, K. H.: 232, 239, **253**.
 Beaucham, A. W.: 166, **171**.
 Behrle, F. C.: 127, 128, 129, **134**, 201, **209**.
 Benton, A. J.: **254**.
 Bergin, A. E.: **20**.
 Berkson, J.: 296, **300**.
 Berry, R. L.: **36**.
 Bethelheim, B.: 53, **56**.
 Betolotti, P.: 233, 234, **256**.
 Bieger, P. P.: 39, 40, 42, **46**.
 Biering, A.: 159, **171**.
 Bindelglas, P. M.: 232, 236, 240, 246, 247, 248, 249, **254**.
 Blackman, S.: 232, 235, 236, 246, **254**.
 Blackwell, B.: 185, 192, 252, **254**, 296.

Blinn, K. A.: 80, **83**, 86, **94**, 164, **171**, **172**, 192, **193**, **256**.
 Blomfield, J. M.: 12, 13, 15, 17, **20**, 39, 40, 41, 42, 43, 44, 45, **46**, 50, **52**, 79, **83**, 110, **117**, 119, 125, 132, **134**, 138, 139, 140, **147**, 162, **171**, 200, **209**.
 Borland, E. M.: **20**, **94**, **134**, **171**.
 Borrie, P.: 220, 221, **230**.
 Bostock, J.: 79, **83**, 127, **134**, 164, **171**.
 Bourque, R.: **256**.
 Bouthilet, L.: **254**, **255**.
 Bradbury, J. P.: 84, **94**.
 Braithwaite, J. V.: 164, **171**.
 Brandon, S.: **52**.
 Bransby, E. R.: 41, **46**, 49, 50, **52**, 109, **117**.
 Brazelton, T. B.: 5, 11, 18, 19, **20**, 46, **46**, **56**, 158, 162, **171**, 176, **177**, 185, 281, 283, **284**, 290, **291**, 299, **300**, 302, 303, 304, 306, 308, **310**.
 Breger, E.: 233, 234, 241, 247, 248, 250, **254**.
 Bridgforth, E. B.: **20**, **101**, **103**.
 Brocklehurst, J. C.: 34, **36**.
 Brooke, E.: **210**.
 Brooks, D.: 68, **69**.
 Broughton, R. J.: 76, **76**, 80, 81, **83**, 164, **171**, 246, 251, **254**.
 Burke, J. B.: 102, **103**.
 Burt, C.: 75, **76**.

C

Cahill, C. A.: 232, 243, 248, **254**.
 Caldwell, R. P. S.: 69, **69**.
 Cameron, H. C.: 10, **20**.
 Campbell, E. W.: 85, **94**.
 Campbell, K. N.: **36**.
 Campbell, M. F.: 156, 163, **171**.
 Carlebach, J.: **57**.
 Cerny, L.: 232, **254**.
 Champelli, J. W.: **256**.
 Child, I. L.: **57**.
 Clayton, C. B.: 104, **106**.
 Cohns, J.: 76, **77**, 121, 131, **136**, 165, 172, 198, 199, 200, 204, 206, **210**.
 Coote, M. A.: 13, **21**, 156, 159, **172**, 175, **177**, 197, **209**, **210**, 302, **310**.
 Costello, A. J.: **135**, **172**, **256**, **275**.
 Costello, G. C.: **21**, **172**, **177**, **210**, **310**.
 Coulter, J. B.: 13, **21**.
 Court, S. D. M.: xvi, **21**, **46**, **52**, **177**, **288**, **310**.
 Cove, L. M.: **254**.

- Crosby, N. D.: 196, 197, 204, 205, 206, 209.
 Currah, J.: 172, 185, 192, 255, 275, 296.
 Cust, G.: 16, 18, 19, 20, 120, 131, 133, 134, 140, 147, 147, 176, 177, 304, 308, 310.
- D**
 Daly, D.: 65.
 Darlington, C. D.: 75, 76.
 Daus, A. T.: 255.
 Davidson, J. R.: 201, 209, 216, 230.
 Davis, D. R.: 6, 19, 20.
 Dee, G. H.: 254.
 Dee, P. M.: 106.
 De Leon, J.: 126, 134, 196, 198, 200, 201, 204, 206, 209.
 Dement, W.: 78, 83.
 Destounis, N.: 232, 239, 254.
 Diesing, U.: 68, 69, 191, 192, 193.
 Dillane, J. B.: 34, 36.
 Di Mascio, A.: 231, 244, 254.
 Dimson, S. B.: 16, 20.
 Dinello, F. A.: 256.
 Dische, S.: 187, 198, 202, 216, 217, 218, 230, 291, 309.
 Ditman, K. S.: 80, 83, 86, 94, 158, 164, 171, 172, 192, 193, 232, 237, 240, 241, 244, 245, 247, 250, 256.
 Dobson, W.: 233, 235, 254.
 Dodge, W. F.: 5, 20, 101, 101, 102, 103.
 Domke, H. R.: 136.
 Dorison, E. E.: 232, 235, 236, 246, 254.
 Douglas, J. W. B.: 11, 12, 13, 15, 17, 18, 19, 20, 39, 40, 41, 42, 43, 44, 45, 46, 50, 52, 79, 83, 109, 110, 114, 117, 119, 124, 125, 130, 131, 132, 133, 134, 135, 138, 139, 140, 142, 146, 147, 147, 159, 162, 167, 169, 170, 171, 176, 200, 209, 291, 298, 304, 308.
 Douglass, E.: 201, 209, 216, 230.
 Drew, L. R. H.: 187, 188, 232, 236, 239, 241, 243, 244, 245, 247, 254.
 Drukker, B. H.: 36.
 Duché, D. J.: 6, 294, 307.
 Duffy, Y. H.: 193.
- E**
 Eastwood, H.: 216, 222.
 Ebbesson, B.: 255.
 Edwards, D.: 103.
 Edwards, S.: 255.
 Eeg-Olofssen, O.: 86, 92, 94.
 Efron, D. H.: 254.
 Eisenberg, L.: 135, 210.
 Elkin, M. H.: 134, 209.
 Enos, F. A.: 254.
- Epstein, S. J.: 192, 193, 232, 239, 243, 248, 251, 254.
 Esperanca, M.: 8, 20, 95, 99, 101, 293, 294, 296, 300.
 Evans, J. I.: 82, 83.
 Eysenck, H. J.: 20, 163, 171, 210, 271, 272, 275, 291.
- F**
 Fardeau, M.: 94.
 Fayol, Mme.: 26, 27.
 Fee, W. M.: 101, 103.
 Feldman, E. C.: 232, 236, 254.
 Fenton, J. C. B.: 220, 221, 230.
 Fergusson, J. D.: 36, 155.
 Fermaglich, J. L.: 85, 94.
 Finkelstein, I. S.: 232, 254.
 Finley, K. H.: 90, 94.
 Fish, B.: 231, 250, 254.
 Fisher, G. W.: 232, 236, 238, 244, 247, 254.
 Fisher, O. D.: 104, 105.
 Fisher, S.: 231, 254.
 Flasher, M. C.: 232, 244, 247, 250, 256.
 Forrest, F. M.: 243, 254.
 Forrest, I. S.: 243, 254.
 Forrester, R. M.: 39, 40, 41, 42, 46, 196, 198, 203, 209, 221, 230.
 Forsythe, W. I.: 104, 106, 196, 198, 200, 201, 202, 209, 215, 216, 217, 230, 232, 233, 235, 236, 238, 239, 244, 247, 249, 252, 254, 257, 296, 300.
 Fox, R. M.: 309, 310.
 Franczak, W.: 232, 254, 255.
 Frary, L. G.: 75, 77.
 Fraser, M. S.: 186, 188, 215, 217, 219, 220, 230.
 Freed, H.: 233, 234, 254.
 Freud, S.: 156, 171.
 Freyman, R.: 196, 198, 200, 201, 202, 209, 218, 230.
 Friday, G. A.: 232, 236, 254.
 Frommer, E. A.: 18, 20, 250, 254.
- G**
 Garfield, S. L.: 20.
 Garside, R. F.: 172, 255, 275.
 Gastaut, H.: 81, 83, 164, 171.
 Gates, J. C.: 233, 234, 254.
 Gay, M. L.: 256.
 Genourville: 196, 209.
 Geppert, T. V.: 196, 198, 201, 202, 209.
 Gerard, M. W.: 118, 135.
 Gerrard, J. W.: 8, 20, 95, 99, 101, 103, 152, 155, 156, 171, 293, 294, 295, 296, 300.
 Gerzabek-Bajko, A.: 254.

Gesell, A.: 9, 20, 26, 27.
 Gibbs, E. L.: 85, 94.
 Gibbs, F. A.: 85, 94.
 Gildea, M. V. L.: 135.
 Gillison, T. H.: 196, 199, 201, 209, 220, 230.
 Girard, J.: 232, 244, 256.
 Glicklich, L. B.: 231, 254.
 Glidewell, J. C.: 118, 135.
 Glueck, H.: xiv, xvi.
 Glueck, S. S.: xiv, xvi.
 Goldbloom, R. G.: 20, 20.
 Gonzalez, R.: 232, 237, 241, 242, 247, 256.
 Goodman, S. E.: 119, 121, 135.
 Gopal, B.: 232, 239, 255.
 Gottlieb, F.: 83, 172, 256.
 Gottlieb, J. S.: 85, 94.
 Graham, P.: 119, 135, 147, 187, 294.
 Greenfield, R.: 85, 86, 94, 163, 172, 256.
 Greer, S.: 130, 135.
 Gregory, I.: 130, 135.
 Groenhart, P.: 39, 41, 42, 44, 45, 46.
 Guilfoyle, F. M.: 192, 193, 232, 239, 254.
 Gunn, J. C.: 130, 135.
 Gunnarson, S.: 43, 46, 84, 86, 94, 159, 169, 171.
 Guttierrez, J. P.: 233, 234, 254.
 Guttin, I. J.: 192, 193, 233, 234, 255.

H

Hafez, E. S. E.: 22, 22.
 Hägglund, T.-B.: 8, 20, 232, 250, 251, 255, 295, 300.
 Halevi, H. S.: 57, 122, 132, 136.
 Hall, T. C.: 257.
 Hallgren, B.: xiii, xvi, 16, 20, 39, 40, 41, 42, 43, 44, 45, 46, 73, 75, 76, 77, 119, 120, 121, 122, 123, 125, 130, 131, 132, 133, 135, 143, 147, 153, 155, 157, 158, 159, 160, 163, 164, 166, 167, 169, 170, 171, 200, 210, 307, 310.
 Hallman, N.: 95, 101, 161, 171.
 Hammar, S.: 136.
 Hammond, W. A.: 135.
 Harnack, G. A. von: 121, 132, 135.
 Harper, P. A.: 21, 46, 135, 147, 172.
 Harrer, G.: 233, 235, 255.
 Harrington, M.: 233, 234, 255.
 Harrison, J. S.: 232, 236, 242, 255.
 Hart, J. T.: 193.
 Hawkins, D. N.: 40, 41, 42, 46.
 Hebel, J.: 257.
 Herskovits, M.: 56, 57.
 Heston, L. L.: 75, 77.
 Heuyer, G.: 92, 94.
 Heycock, J. B.: 232, 236, 242, 243, 244, 247, 249, 253.

Hicks, W. R.: 232, 235, 236, 242, 246, 255.
 Higgins, T. T.: 32, 34, 36.
 Hill, D.: 90, 94.
 Hill, I. D.: 135, 172, 256, 275.
 Hillman, E. S.: 172, 255.
 Hills, N. F.: 232, 237, 238, 241, 242, 244, 245, 247, 248, 249, 256.
 Hinden, E.: 68, 69, 158, 172.
 Hinman, F.: 68, 69.
 Hirokawa, I.: 94.
 Hodge, R. S.: 90, 94, 203, 210.
 Hodgkinson, C. P.: 32, 36.
 Hodgson, C. J.: 103.
 Hodgson, N. B.: 8, 21, 100, 101.
 Holt, K. S.: 203, 210, 233, 235, 255, 288, 288.
 Honzik, M. P.: 135, 147, 172.
 Houston, C. S.: 101, 103.
 Hundziak, M.: 14, 20.
 Hutch, J. A.: 7, 20, 175, 177.
 Hutchings, H. M.: 90, 94, 203, 210.
 Hutt, S. J.: 87, 94.

I

Ice, J. F.: 232, 236, 255.
 Iggo, A.: 30, 36.
 Ilg, F. L.: 9, 20.
 Illingworth, R. S.: 9, 10, 20.
 Ingle, V. N.: 232, 233, 234, 250, 255.
 Irvine, E. E.: 57.

J

Jakway, J. S.: 22.
 Jaremko, A.: 232, 248, 255.
 Jeavons, P. M.: 192, 193.
 Jekel, K.: 136.
 Johnston, N. M.: 101, 103.
 Jones, B.: 97, 101, 103, 103.
 Jones, E.: 50, 52.
 Jones, H. G.: 14, 20, 195, 206, 210, 291, 291.
 Jones, K. S.: 233, 235, 255.
 Jonge, G. A. de: 5, 6, 39, 40, 41, 42, 43, 44, 45, 46, 159, 166, 170, 171, 232, 236, 241, 254, 289.
 Jonsson, G.: xiv, xvi.

K

Kaffman, M.: 53, 57, 75, 77.
 Kales, A.: 192, 193, 251, 255.
 Kales, J.: 251, 255.
 Kanfer, F. H.: 206, 210.
 Kanner, L.: 166, 172.
 Kapamadzija, B.: 232, 256.
 Kardash, S.: 168, 172, 232, 236, 240, 242, 243, 255.

- Kardiner, A.: 57.
 Kaye, B.: 57.
 Keegler, R. L.: 94.
 Kellaway, P.: 90, 91, 94.
 Kennedy, W. A.: 206, 210, 233, 255.
 Kerdel-Vegas, O.: 232, 235, 239, 247, 256.
 Kerr, N. J.: 21, 291.
 Kety, S. S.: 293, 300.
 Khazan, N.: 192, 193, 251, 255.
 Kiloh, L. G.: 254.
 Kim, H.-W.: 231, 255.
 Kimbrough, T. A.: 171.
 King, R. D.: 299, 300.
 Klackenberg, G.: 4, 13, 15, 16, 18, 20, 41, 46.
 Kleitman, N.: 78, 83.
 Knott, J. R.: 94.
 Knox, E. G.: xvi, 21, 46, 52, 177, 288, 310.
 Koehler, O.: 15, 20, 303, 310.
 Kolvin, I.: xv, 127, 144, 157, 159, 160, 162, 163, 164, 165, 166, 168, 169, 170, 172, 232, 236, 246, 255, 263, 265, 271, 274, 275, 275, 289, 297.
 Kraft, A. L.: 192, 193.
 Krasner, L.: 291.
 Kumar, L. R.: 232, 239, 255.
 Kurokawa, K.: 232, 245, 255.
 Kuzemko, J. A.: 102, 103, 163, 172.
 Kuzma, R.: 254.
- L
- Lader, M.: 83.
 La Franchi, S.: 83, 256.
 Laird, R.: 12, 22.
 Lake, B.: 232, 236, 241, 242, 245, 249, 255.
 Lambros, V. S.: 233, 234, 251, 255.
 Landolt, H.: 92, 94.
 Lapides, J.: 29, 24, 36.
 Lapouse, R.: 118, 132, 135, 165, 172.
 Latiolais, T.: 171.
 Launay, C.: 26, 27.
 Lawrence, E.: 189, 190, 194.
 Laybourne, P. C.: 134, 209, 232, 236, 255.
 Lebel, G.: 256.
 Lebevici, S.: 210.
 Le Compte, S.: 191, 192, 194.
 Lee, D.: 87, 94.
 Leford, G.: 94.
 Lescable, G.: 94.
 Levin, H.: 21, 57, 135, 177, 310.
 Levine, A.: 39, 40, 42, 46, 205, 210.
 Levine, J.: 231, 254, 255.
 Lewis, L. W.: 36.
 Leys, D.: 233, 235, 255.
 Lickorish, J. R.: 121, 133, 135.
- Liederman, P. C.: 232, 236, 243, 247, 248, 249, 255.
 Liederman, V. R.: 255.
 Lin, Ts-Y.: 210.
 Lines, D. R.: 232, 237, 249, 255.
 Lipkin, J. O.: 254.
 Lockner, A. W.: 135.
 Lorentz de Haas, A. M.: 94.
 Loring, J.: 20.
 Lovibond, S. H.: 12, 13, 14, 16, 21, 118, 120, 123, 129, 135, 156, 159, 161, 172, 175, 177, 195, 196, 198, 199, 200, 201, 204, 205, 206, 208, 210, 272, 275, 290, 291, 302, 303, 310.
 Lyons, R. H.: 36.
- M
- McConaghy, N.: 196, 198, 202, 203, 204, 210, 232, 233, 237, 240, 245, 255.
 McCulloch, J. W.: 261, 275.
 MacFarlane, J. W.: 118, 119, 122, 135, 138, 147, 159, 165, 172.
 McHale, A.: 123, 135.
 Mac Keith, R. C.: 6, 11, 16, 18, 21, 35, 36, 55, 57, 61, 62, 64, 65, 87, 94, 146, 147, 147, 157, 159, 160, 161, 162, 163, 167, 171, 172, 175, 177, 271, 275, 287, 288, 291, 291, 294, 298, 300, 301, 303, 305, 310.
 MacLean, R. E. G.: 232, 235, 239, 242, 255.
 McQuitty, L. L.: 261, 275.
 Maas, J. W.: 94, 194, 256.
 Maccoby, E. M.: 21, 57, 135, 177, 310.
 Madsden, C. H.: 290, 291.
 Mahoney, K.: 21, 291.
 Majdecka, A.: 233, 234, 255.
 Mandell, W.: 126, 134, 196, 198, 200, 201, 204, 206, 209.
 Manhas, R. S.: 232, 237, 244, 255.
 Mannheim, H.: 133, 135.
 Margolis, L. M.: 232, 235, 255.
 Mariuz, M. J.: 232, 237, 239, 241, 246, 250, 255.
 Maron, B. T.: 83, 172, 256.
 Marshall, W. A.: 146, 147.
 Martin, C. R. A.: 39, 40, 41, 42, 43, 46, 192, 194.
 Martin, J. A. M.: 139, 147.
 Maudar, A.: 68, 69.
 Maurer, R. A.: 20.
 Maxwell, C.: 232, 237, 238, 244, 247, 257.
 Mayon-White, R. J.: 233, 235, 256.
 Meadow, S. R.: 101, 101, 102, 103, 220, 224, 278.
 Meijer, A.: 232, 239, 241, 246, 256.
 Melin, K. A.: 43, 46, 84, 86, 92, 94, 159, 169, 171.

Mellits, E. D.: 8, 21, 295, 300.
 Mendelson, W. B.: 20.
 Mensh, L. N.: 135.
 Mercure, J.: 256.
 Merrett, J. D.: 232, 236, 238, 239, 247, 249, 254.
 Meyer, J. H.: 254.
 Meyerson, L.: 21, 291.
 Michaels, J. J.: 119, 121, 135.
 Millard, D. W.: 62, 64, 65.
 Miller, A.: 20, 94, 134, 171.
 Miller, F. J. W.: xiii, xvi, 4, 5, 10, 16, 17, 18, 19, 21, 46, 46, 47, 50, 52, 159, 169, 176, 177, 287, 288, 290, 306, 310.
 Miller, P. R.: 232, 237, 239, 244, 246, 247, 249, 256.
 Milner, G.: 232, 237, 238, 241, 242, 244, 245, 247, 248, 249, 256.
 Mitchell, S.: 147.
 Mittler, P.: 75, 77.
 Moe, G. K.: 36.
 Molling, P. A.: 126, 135.
 Monk, M. A.: 118, 132, 135, 165, 172.
 Morgan, J. J. B.: 196, 210.
 Morgan, R. T. T.: 8, 21, 208, 210, 216, 218, 230, 309, 310.
 Mowrer, O. H.: 16, 21, 124, 135, 159, 172, 175, 177, 196, 198, 201, 204, 205, 210.
 Mowrer, W. M.: 196, 198, 201, 210.
 Muellner, S. R.: 7, 8, 16, 21, 95, 101, 156, 161, 172, 252, 256, 294, 300, 303, 309, 310.
 Mulligan, D. G.: 135.
 Munster, A. J.: 232, 235, 256.
 Murnaghan, M. F.: 33, 34, 36.
 Murphy, E.: 136.
 Murray, F.: 254.

N

Naldi, Z. G.: 233, 234, 256.
 Nash, D. F. E.: 36.
 Nathan, P. W.: 31, 32, 33, 36.
 Neligan, G. A.: 172.
 Nesbit, R. M.: 30, 36.
 Neubauer, P.: 57.
 Newson, E.: 12, 13, 16, 17, 18, 21.
 Newson, J.: 12, 13, 16, 17, 18, 21.
 Ney, P. G.: 245, 256.
 Nickols, J.: 136.
 Niezabitowski, K.: 255.
 Niklic, V.: 232, 256.
 Noack, C. H.: 191, 192, 194, 232, 237, 244, 256.
 Noble, T. C.: 185, 187, 188.
 Nolan, J.: 172, 255, 275.
 Normand, I. C. S.: 103.
 Notschaele, L. A.: 39, 40, 41, 42, 43, 45, 46.

Novick, J.: 125, 128, 129, 135, 144, 147, 160, 168, 172.

O

Ohtaguro, K.: 232, 245, 255.
 Oppé, T. E.: 20, 94, 134, 171.
 Oppel, W. C.: 4, 5, 10, 15, 21, 39, 40, 41, 42, 43, 44, 45, 46, 122, 130, 131, 132, 135, 140, 142, 147, 159, 163, 165, 166, 172.
 Oppenheim, B.: 147.
 Orne, M. T.: 119, 135.
 Ornitz, E. M.: 83, 172, 256.
 Orval, J.: 191, 192, 194.
 Oswald, I.: 15, 21.

P

Pampiglione, G.: 287, 288.
 Panase, V.: 232, 233, 234, 250, 255.
 Parkin, J. M.: 186, 188.
 Parkkulaninen, K. V.: 232, 250, 251, 255.
 Paulett, J. D.: 125, 135, 167, 170, 172.
 Pearce, P.: 193.
 Peiper, A.: 15, 20, 21, 302, 310.
 Petersén, I.: 86, 90, 91, 94.
 Peterson, R. A.: 12, 21.
 Pfaundler, M.: 196, 210.
 Philip, A. E.: 261, 275.
 Phillips, J. S.: 206, 210.
 Philpott, M. G.: 232, 244, 247, 250, 256.
 Piaget, J.: 282.
 Pierce, C. M.: 80, 81, 83, 86, 94, 192, 194, 251, 256.
 Plag, J. A.: 205, 210.
 Plum, F.: 31, 32, 36.
 Pooley, J. M.: 233, 242, 256.
 Porot, M.: 232, 244, 256.
 Poulton, E. M.: 68, 69, 158, 172.
 Poussaint, A. F.: 83, 85, 86, 94, 158, 163, 172, 232, 237, 240, 241, 242, 244, 245, 247, 248, 250, 256.
 Prodi, M. P.: 233, 234, 256.
 Pumroy, D. K.: 14, 21, 290, 291.
 Pumroy, S. S.: 14, 21, 290, 291.

Q

Quevedo, A. de: 232, 243, 248, 251, 254.

R

Rachman, S.: 210, 230, 300.
 Raynes, N. V.: 300.
 Redmond, A.: 196, 198, 200, 201, 202, 209, 215, 216, 217, 230.
 Reid, M. A.: 20.
 Reid, W. B.: 257.
 Rémy-Roux: 196, 210.
 Rett, A.: 232, 237, 256.

- Richards, M. P.: 300.
 Richmond, L. H.: 232, 248, 256.
 Rider, R. V.: 21, 46, 135, 147, 172.
 Riehl, J. L.-R.: 94.
 Ripley, H. S.: 36.
 Ritvo, E. R.: 81, 82, 83, 164, 172, 232, 237, 246, 256.
 Roach, N. E.: 255.
 Roberts, K. E.: 4, 6, 8, 16, 21, 132, 135, 175, 177, 302, 310.
 Robson, P. C.: 232, 237, 256.
 Rodnight, R.: 83.
 Rosenthal, D.: 293, 300.
 Rosenthal, R.: 119, 135.
 Rosenthal, S. H.: 232, 248, 256.
 Ross, E. M.: 101, 103.
 Ross, J. M.: 135.
 Rowan, D.: 31, 36.
 Rowntree, G.: 112, 117, 131, 135, 169, 172.
 Roy, P. B.: 233, 234, 256.
 Ruch, T. C.: 29, 31, 36.
 Rutter, M. L.: 5, 119, 120, 121, 122, 123, 125, 127, 129, 130, 131, 132, 133, 135, 137, 138, 139, 140, 141, 142, 143, 147, 157, 165, 166, 167, 169, 170, 172, 175, 176, 195, 210, 291, 297, 298, 300, 303, 306.
 Rydzyński, A.: 232, 256.
- S**
 Sadoff, R. L.: 250, 256.
 Sadoun, R.: 210.
 Salgado, M. A.: 232, 235, 239, 247, 256.
 Salmon, M. A.: 145, 157, 159, 163, 189, 192, 194, 293, 297.
 Sato, S.: 94.
 Sauls, R. J.: 135.
 Saunders, J. C.: 256.
 Savage, D. C. L.: 101, 101, 102, 103.
 Schalock, H.: 201, 209.
 Schaper, G.: 42, 46.
 Schiele, B. C.: 254, 255.
 Schjetne, O. B.: 232, 237, 256.
 Schoellkopf, J. A.: 4, 6, 8, 16, 21, 132, 135, 175, 177, 302, 310.
 Schopfner, L.: 7, 20, 175, 177.
 Scott, D.: 172.
 Scott, J. E. S.: 104, 106.
 Sears, R. R.: 12, 13, 16, 21, 55, 57, 119, 135, 176, 177, 302, 310.
 Secunda, L.: 90, 94.
 Selden, U.: 94.
 Shackleton, M.: 127, 134.
 Shaffer, D.: 126, 135, 165, 168, 172, 232, 237, 240, 241, 242, 243, 244, 249, 256, 271, 275, 297.
 Sharma, J. D.: 232, 237, 244, 255.
 Shaw, W. B.: 172, 255, 275.
 Shepherd, M.: 82, 83, 137, 138, 139, 147.
 Shersby, B. J.: 233, 242, 256.
 Shibuya, M.: 94.
 Shokeir, M. H. K.: 101, 103, 300.
 Shuttleworth, K. E. D.: 69, 69.
 Siegel, S.: 263, 275.
 Sieger, H. W.: 127, 135, 201, 210.
 Silber, D. L.: 11, 17, 21.
 Simpson, W.: 106.
 Skinner, B. F.: 14, 21.
 Skinner, J. L.: 196, 199, 201, 209, 220, 230.
 Skynner, A. C. R.: 278, 280.
 Sloop, E. W.: 206, 210, 233, 255.
 Smellie, J. M.: 102, 103.
 Smith, A.: 187, 188.
 Smith, C. K.: 75, 77.
 Smith, E. H.: 232, 237, 241, 242, 247, 256.
 Smith, M. C.: 32, 36.
 Smith, R.: 255.
 Sneznevskij, A. V.: 210.
 Snodgrass, W. T.: 257.
 Sobkowiak, J.: 254.
 Soltz, J. J.: 244, 254.
 Soulé, M.: 68, 69.
 Soulé, N.: 68, 69.
 Spear, A. B.: 84, 87, 94.
 Spence, J.: 47, 50, 52.
 Spielman, P. M.: 94.
 Spock, B. M.: 13, 16, 21, 175, 177, 283, 284, 302, 307, 310.
 Stanley, A. M.: 256.
 Stansfeld, J. M.: 163, 183.
 Starfield, B.: 5, 8, 21, 43, 46, 95, 101, 152, 155, 295, 300.
 Stehbens, J. A.: 11, 17, 21.
 Stein, A.: 8, 21.
 Stein, Z. A.: 11, 17, 21, 46, 120, 123, 126, 131, 132, 133, 135, 136, 139, 147, 169, 172, 209, 299, 300.
 Stockwell, A. L.: 75, 77.
 Stolze, K.-J.: 232, 244, 256.
 Straub, L. R.: 32, 36.
 Strauss, W.: 232, 256.
 Sulman, F. G.: 192, 193, 251, 255.
 Sumption, L. J.: 22.
 Susser, M. W.: 11, 17, 21, 46, 120, 123, 126, 131, 132, 133, 135, 136, 139, 147, 169, 172, 209, 299, 300.
 Sutler, M.: 36.
 Svien, H. J.: 65.
 Sweet, R. B.: 36.

T
 Taka
 Talaa
 Tang
 Tapia
 Taun
 Taylo
 Taylo
 Taylo
 Tec, I
 Temn
 Thaus
 Thon
 Thorr
 Tibbe
 Tizar
 Tizar
 Toiva
 Travis
 Treffe
 Treisr
 Troup
 Trou
 Tuck
 Turne
 2
 2
 Turto

U
 Ulf, C
 Ullma
 Umph
 Uri, C

V
 Valen
 Valen
 Valk,
 van Ph
 Van V
 Ventu
 Vincen
 6
 Vullia

W
 Wadsv
 Wallac
 Walley
 Walter
 Walter
 Walto
 Wasse

T

- Takayasu, H.: 85, 89, 94.
 Talaat, M.: 30, 36.
 Tang, P. C.: 29, 31, 32, 36.
 Tapia, F.: 120, 136.
 Taunch, J.: 172, 255, 271, 274, 275.
 Taylor, A. M.: 21.
 Taylor, I. O.: 195, 196, 198, 202, 210.
 Taylor, P. D.: 206, 210.
 Tec, L.: 232, 243, 257.
 Temmes, Y.: 91, 94.
 Thaustein, J.: 57, 122, 132, 136.
 Thomsen, W.: 232, 237, 241, 242, 246, 248, 257.
 Thorne, F. C.: 39, 40, 41, 42, 43, 46, 205, 210.
 Tibbetts, M. A.: 233, 235, 255.
 Tizard, B.: 299, 300, 306.
 Tizard, J.: 135, 147, 299, 300, 306.
 Toivakka, E.: 91, 94.
 Travis, L. B.: 20, 101, 103.
 Treffert, D. A.: 232, 237, 247, 257.
 Treisman, M.: 21.
 Troup, C. W.: 8, 21, 100, 101.
 Trousseau, A.: 64, 84, 94.
 Tuckman, E.: 125, 135, 167, 170, 172.
 Turner, R. K.: 111, 140, 147, 175, 196, 198, 200, 201, 202, 203, 205, 206, 207, 210, 215, 218, 230, 233, 257, 291, 297, 300, 303.
 Turton, E. C.: 84, 87, 94.

U

- Ulf, O.: 232, 237, 238, 246, 257.
 Ullman, L. P.: 291.
 Umphress, A.: 123, 131, 132, 136.
 Uri, O. T.: 232, 237, 256.

V

- Valentine, A. A.: 232, 237, 238, 244, 247, 257.
 Valenzuela, A. V.: 122, 136.
 Valk, W. W.: 36.
 van Praag, H. M.: 231, 257.
 Van Wagenen, R. K.: 14, 21, 290, 291.
 Venturini, A. M.: 94.
 Vincent, S. A.: 7, 8, 10, 21, 31, 34, 36, 62, 64, 65, 66, 69, 69, 291, 291, 309, 310.
 Vulliamy, D.: 95, 101.

W

- Wadsworth, M. L.: 205, 210.
 Wallace, I. R.: 233, 235, 252, 257, 296, 300.
 Walley, M. R.: 254.
 Walter, R. D.: 83, 256.
 Walters, C. J.: 232, 237, 241, 246, 250, 255.
 Walton, W. S.: xvi, 21, 46, 52, 177, 288, 310.
 Wasserman, D. H.: 255.

- Watson, L. J.: 20.
 Watterson, D.: 90, 94.
 Weigl, E.: 121, 136.
 Weinmann, H. M.: 81, 83.
 Weiss, S.: 42, 46.
 Wenar, C.: 13, 21.
 Werry, J. S.: 76, 77, 118, 119, 121, 124, 125, 127, 131, 136, 157, 158, 159, 160, 161, 163, 165, 167, 172, 198, 199, 200, 204, 206, 210, 255.
 Wertheimer, J.: 23, 25, 27.
 West, E. F.: 20, 101, 103.
 Weychert, A.: 232, 256.
 White, M.: 119, 136, 167, 169, 172, 215, 216, 217, 230.
 White, R. H. R.: 101, 103.
 Whitehead, J. A.: 233, 235, 252, 257.
 Whiting, B. B.: 57.
 Whitman, R. M.: 94, 194, 256.
 Whitmore, K.: 135, 147.
 Wickes, I. G.: 127, 136, 201, 210.
 Wiesner, E.: 232, 257.
 Wilkin-Jensen, K.: 233, 235, 257.
 Williams, D. I.: 36, 61, 64, 65, 82, 83.
 Wilson, A. E.: 136.
 Wilson, M. I.: 101, 103.
 Wilson, W. P.: 15, 21.
 Winnicott, M.: 124, 127, 136.
 Witmer, F. J.: 196, 210.
 Wolff, S.: 166, 172, 275, 275.
 Wood, M. W.: 64, 65.
 Woodburne, R. T.: 29, 36.
 Woodhead, D. M.: 232, 239, 257.

Y

- Yates, A. J.: 195, 198, 200, 202, 210, 231, 240, 257.
 Yeates, W. K.: 28, 30, 33, 35, 36, 154, 155, 161, 171, 291.
 Yodfat, Y.: 232, 237, 238, 239, 240, 257.
 Young, G. C.: 6, 8, 11, 18, 19, 21, 176, 177, 195, 196, 198, 200, 201, 202, 203, 208, 210, 215, 216, 218, 230, 233, 245, 257, 300, 302, 303, 304, 305, 308, 309, 310.
 Young, J. D.: 85, 94.
 Yule, W.: 135, 147.

Z

- Zaleski, A.: 152, 155, 156, 171, 293, 294, 296, 300.
 Zufall, R. C.: 203, 210.
 Zung, W. W. K.: 15, 21.

Subject Index

Enuresis is abbreviated to E throughout

A

- Acquired E: see Secondary E.
- Adoptees, studies of E in: 293.
- Adults
 - , prevalence of E in: 42, 86, 289.
 - , response to treatment in: 205-206, 246.
- Alarms: see Buzzer alarms.
- Allergy as cause of E: 293, 296, 303.
- Amityptiline: see Tricyclic antidepressants.
- Amphetamines (see also Drug Treatment).
 - , effect on depth of sleep: 251, 287.
 - , efficacy in treatment of E: 192, 203, 233-234.
 - , in conjunction with buzzer: 203, 219, 233, 245, 309.
 - , side effects of: 203, 245.
- Animals, acquisition of dryness in: 301 (see also Piglets)
- Anticholinergic drugs in treatment of E: 233, 235, 251-252, 296-297.
- Anticonvulsants in treatment of E: 85, 192, 234.
- Antidepressant drugs in treatment of E: see Tricyclic antidepressants
- Anxiety
 - , parental, over bedwetting: 173-174, 182, 281-284, 304-306.
 - , in child with enuresis: see Psychiatric disorder.
- Arousal, random, in control of bedwetting: 207, 297.
- Arousability, poor (see Depth of sleep)
 - , as cause of enuresis: 79-80, 250-251.
 - , as cause of failure of buzzer treatment: 203, 218-219.
- Automatic bladder functioning (in infancy): 23.

B

- Bedsharing: 187, 264-267.
- Behaviour, deviant: see Psychiatric disorder.
- Behaviour therapy: 195.
- Bell-and-pad: see Buzzer alarm.
- Belladonna: 192.
- Bladder base plate, changes in position with age: 175.

- Bladder capacity, functional
 - , apparent changes in during treatment of E: 100, 291, 295, 307.
 - , association with day-time frequency: 8-9, 95, 96, 151.
 - , associations with bedwetting: 8-9, 95-101, 151-152, 156, 161, 175, 184, 293-295, 303, 307, 309.
 - , measurement of: 95, 295.
 - , in children with urinary tract infection: 96-101.
- Bladder capacity, true (or structural): 151.
- Bladder control (see also Dryness)
 - , stages of normal development of: 26, 32, 34-35.
 - , mechanisms of: 7-8, 28-35.
 - , variations in age of normal acquisition of: 26.
- Bladder neck: 7, 8, 29, 175.
- Bladder tone recordings: 251.
- Brain damage and E: 9, 130.
- Broken homes: 16, 112-114, 131-132, 299.
- Buzzer alarm (bell and pad):
 - , age for commencing treatment with: 196.
 - , criteria for selection for treatment: 217-218.
 - , demonstration of procedure: 197-198.
 - , effect on bladder capacity: 100, 291.
 - , effect on depth of sleep: 82.
 - , efficacy in treatment of enuresis: 186, 199-206, 216-217.
 - , in conjunction with drug therapy: 203, 219, 233, 245, 250, 290, 309.
 - , in treatment of adults with E: 205-206.
 - , in treatment of enuretics with emotional disorder: 126-128.
 - , indications for research with: 297, 308-309.
 - , intermittent treatment with: 205.
 - , mechanisms of action in cure of E: 206-207, 297.
 - , performance specification by M.O.H.: 222-223.
 - , prediction of response to treatment with: 127, 258-265, 270-273, 290.

—, preparations for use of: 197, 211-216.
 —, prevention of relapse using overlearning technique: 8, 208, 309.
 —, rationale of treatment with: 195.
 —, reasons for treatment failure: 187, 199, 202-203, 207-208, 215, 218-220, 245.
 —, relapse following successful treatment: 187, 201-202, 218, 290.
 —, symptom substitution following cure with: 128.
 —, types of apparatus: 196-197, 224-229.
 Buzzer ulcers: 220-222.

C

Cattell Personality Questionnaire: 271, 272, 275.
 Causes of E: 9-12, 16-19, 26, 55, 68, 73-77, 81, 84, 87, 93, 106, 109-117, 119, 122, 130-133, 138, 146-147, 151-177, 181-182, 187, 198, 271-272, 276, 277, 280-284, 287, 289-290, 293-296, 299, 302-308.
 Cause changes with age: 87, 157, 173, 304.
 Central inhibition of bladder contraction
 —, in normal micturition: 32-34.
 —, defect of as cause of E: 81, 153.
 Central Nervous System, dysfunction of as cause of E: 153, 175-176, 181.
 Charts and stars: 184.
 Child-oriented approach to toilet training: see Training.
 Chlordiazepoxide ('Librium'): 190-193, 234.
 Cluster analysis: 258, 261, 266-273.
 Conditionability, poor, as cause of E: 159, 163, 175, 271-272, 290.
 Conditioning
 —, apparatus for giggle micturition: 64.
 —, by arousal after wetting: 196, 297.
 —, by wet diaper: 12.
 —, treatment using bell or buzzer alarms: see Buzzer alarm.
 —, treatment using Crosby (electric shock) apparatus: 204-205.
 —, treatment using twin signal apparatus: 204-205.
 Conscientiousness as predictor of treatment response: 271-273.
 Constipation: 69.
 Continuous enuresis: see Primary enuresis.
 Cortical development, immaturity of as cause of E: 93, 153, 156, 293, 303.
 Cross-cultural aspects of bedwetting: 53-57.
 Cystography: 183.

D

Day-time treatment (for primary nocturnal E): 189-193
 Delayed maturation as cause of E: see Immaturity.
 Deliberate wetting: 167, 277.
 Depth of sleep
 —, associations with bedwetting: 78-80, 86, 164, 233, 250-251, 260, 287, 294.
 —, as predictor of response to treatment in E: 262-3, 265-266, 270, 272-274.
 —, effects of buzzer and/or drug treatment on: 207, 250-251, 294.
 Desipramine: see Tricyclic antidepressants.
 Desire to void: 28, 30-32.
 Development
 —, delayed, as cause of enuresis: 138, 276.
 —, rôle of in acquisition of dryness: 9.
 Dexamphetamine ('Dexedrine'): see amphetamine.
 Dietary changes in treatment of E: 99, 296.
 Disturbed behaviour in association with E: see Psychiatric disorder.
 Diuretic drugs in treatment of E: 233, 235.
 Diurnal enuresis
 —, causes of: 153-155, 290.
 —, definition of: 26, 67-68.
 —, functional bladder capacity in children with: 97, 100.
 —, in association with frequency: 45.
 —, in association with psychiatric disorder: 142-143, 277, 279.
 —, prevalence of: 44-45.
 —, sex difference in prevalence of: 142-143.
 Doctor's attitude, importance of in cure of E: 183.
 Dreaming: see R.E.M. sleep.
 'Dropping-out' of treatment (Treatment failure): 198, 202, 207-208, 245.
 Drug treatment for E (see Tricyclic antidepressants, amphetamines etc.)
 —, day-time administration of: 186, 189-193, 243, 248.
 —, efficacy of: 100, 126-127, 185, 189-193, 203-204, 232-238.
 —, in combination with buzzer alarm: 203, 219, 233, 245, 250, 290, 309.
 —, indications for research in: 252-253, 296-297.
 —, using combinations of drugs: 235, 244.
 Dryness, day-time: 12-14, 282-283, 290, 299, 302-203
 Dryness, night-time

- , as an inherent behaviour: 15, 16, 175, 282-283, 302, 305, 307.
- , negative factors preventing emergence of: 18, 19, 176, 303.
- , prevalence of at different ages: 4-6, 26, 39, 42, 48-49, 190.

E

- Early stressful events: see Stress factors.
- EEG
 - , findings associated with E: 11, 78, 80, 84-93, 159, 251, 287, 293-294, 304.
 - , in prediction of potential enuretic: 287, 294.
 - , effects of chlordiazepoxide on: 192-193.
- Electric shock, conditioning treatment using: 204-205.
- Emotional disturbance: see Psychiatric disorder.
- Encopresis: 138, 276, 282.
- Ephedrine: 233-234.
- Epilepsy, associations with enuresis: 84, 85, 163.
- Excitability, as predictor of treatment response: 264, 271-273.

F

- Family disharmony, associations with E: 16, 17, 131, 176, 183, 278-279, 299, 305.
- Family size, associations with E: 51, 265-267.
- Family history of E (see also Genetic factors)
 - , incidence of amongst children with E: 16, 51, 73-76, 169, 307.
 - , as predictor of treatment response: 248, 261-262, 264, 269, 271, 273.
 - , as predictor of potential enuretic: 287.
 - , in primary enuretics: 274.
 - , in secondary enuretics: 271, 274.
- Fluid restriction in treatment of E: 8, 184, 245.
- Food allergy as cause of E: 293, 296.
- Forced drinking: 8.
- Frequency
 - , associations with nocturnal E: 100, 153.
 - , associations with small bladder capacity: 95-96, 100, 151.
 - , causes of: 95-96, 100, 151-153.
 - , definition of: 45.
 - , prevalence of: 45.
- Frequency of bedwetting as predictor of treatment response: 248-249, 260-262, 264-265, 270, 273, 289.
- Fursemide ('Lasix'): 235.
- Functional bladder capacity: 151.

G

- Genetic factors in E: 9, 73-77, 130, 142, 157, 169-170, 175, 287, 292-293, 307 (see also Family history of E).
- Giggle micturition: 61-65.

H

- Habit, persistence of E due to: 26, 153-154.
- Heart rate, association with bedwetting: 80-81.
- Height of children with E: 51.
- Home moves as cause of E: 182, 284.
- Hospitalisation
 - , as a cause of E: 106, 116-117, 182, 299, 308.
 - , dryness following: 10, 87, 176.
 - , indications for in treatment of E: 49, 185.
- Hydroxyzine: 233, 234.

I

- Imipramine: see Tricyclic antidepressants.
- Immaturity (see also Maturation)
 - , as cause of bedwetting: 10-12, 84, 93, 122, 138, 146, 153-154, 156-158, 160, 162, 175-176, 276, 293, 303-304.
 - , clumsiness in children with E: 138.
 - , delayed motor milestones in children with E: 122, 304.
 - , emotional, in children with E: 122, 159.
 - , history of prolonged thumb-sucking in children with E: 122.
 - , of cortical development in children with E: 93, 153, 156, 293, 303.
 - , of central nervous system in children with E: 84, 175-176, 307.
 - , of EEG in children with E: 84, 93, 159, 293, 303.
 - , somatic, in children with E: 11, 111, 159.
- Infants, patterns of micturition in: 23-27.
- Inhibition of bladder contraction: 32-34, 81, 153.
- Institutional care
 - , as cause of E: 299, 308, 309.
 - , studies of enuretics in: 11, 126, 302.
- Intermittent treatment with buzzer: 205.
- Interval training: 184.
- Intra-vesical recordings: 81.
- Introversion
 - , in parents as predictor of response to treatment of E: 262-265, 271-273.
 - , in child with E as predictor of response to treatment: 262, 271-272.

Irritable bladder syndrome: 66, 307, 309.
Isle of Wight Survey: 5-6, 120, 127, 137-147.

K

Kibbutzim
—, prevalence of bedwetting in: 53.
—, methods of toilet training in: 55.
—, enuresis as family disorder in: 75.

L

Latent E: 154, 171, 291.
Learning theory, as applied to E: 14, 159-160, 195, 290-291.
Lifting: 184-185, 245.
Longitudinal surveys: 239-240, 288.

M

Management of E: 179-284.
Mannerisms (tics, twitches etc), associations with E: 264-265, 273.
Marriage, broken: see Broken homes.
Maternal factors in E (see also Parental factors)
—, disturbed mother/child relationship: 27, 276.
—, level of maternal care: 51, 110, 268.
—, maternal age: 51, 110.
—, emotional instability in mother: 268.
Maturation (see also Immaturity)
—, accelerated, associations with secondary E: 269, 271.
—, rate of, as predictor of treatment response in E: 269-271.
—, rôle of in emergence of dryness: 9-12, 15, 39, 175-176, 302-303.
—, delayed: see Immaturity.
Menarche, age of in girls with E: 111.
Mental subnormality
—, associations with E:
—, response to treatment by enuretics with: 187, 206, 234, 247.
Meprobamate: 233, 234.
Methylphenidate: 233, 234.
Methodology of research into E: 198-200, 241, 245-249, 258-261, 289-290, 295.
Micturition cycle: 28.
Micturition, normal: see Normal micturition.
Monoamine oxidase inhibitors: 251.
Motivation, importance of in cure of E: 12, 282.

N

Negative factors preventing dryness: 18, 19, 176, 303.
Neurological dysfunction, as cause of E: 153, 175-176, 181.
Nocturnal dryness: see Dryness.
Nocturnal enuresis
—, causes of: 9-12, 16-19, 26, 55, 68, 73-77, 81, 84, 87, 93, 106, 109-117, 119, 130-133, 138, 146-147, 151-177, 181-182, 187, 198, 271-272, 276, 277, 280-284, 287, 289-290, 293-296, 299, 302-308.
—, definition of: 26, 39, 157-158, 173, 196, 281, 284.
—, in adults: 42, 86, 205-206, 246, 289.
—, in association with day-time E: 45, 97, 100, 123.
—, in association with psychiatric disorder: 118-147, 266, 276-280, 281-282, 293, 304.
—, prevalence of at different ages: 4-6, 39-43, 47-49, 109-110, 137-139, 206, 289, 304.
—, recognition of potential cases: 287, 294.
—, remission rate of without treatment: 206.
—, treatment of: see Conditioning, Drugs, Psychotherapy, Tricyclic antidepressants etc.
Normal micturition: 23-27, 28-35.
Nortriptyline: see Tricyclic antidepressants.

O

Obsessive behaviour as predictor of treatment response in E: 264.
Onset enuresis: see Secondary E.
Operant conditioning: 161, 279.
Organic abnormalities of urinary tract: see Urinary tract.
Overlearning in conditioning treatment of E: 8, 208, 309.
Overcrowded housing, associations with E: 51.
Oxazepam in treatment of E: 189.

P

Parental factors in E (see also Maternal factors)
—, as predictors of treatment response: 264, 265, 268, 270.
—, parental attitudes and expectations as cause of E: 12, 17, 68, 119, 181, 198, 277, 280, 281-284, 306.
—, parental non-co-operation and treatment failure: 198, 202, 203, 207-8, 219, 245.
Penile erection during bedwetting: 86.

- Permissive mothers: 17.
 Perphenazine: 126.
 Personality problems and E: see Psychiatric disorder.
 Phenmetrazine: 126.
 Phenobarbital: 235.
 Piglets, excretory behaviour in: 12, 15, 22, 302.
 Pituitary snuff in treatment of E: 233.
 Placebo response in treatment of E: 189-191, 241, 262-265.
 Poisoning, imipramine: 186.
 Polyuria: 151, 153.
 Potential nocturnal E, recognition of: 287, 294.
 Potty training: see Training.
 Prediction of E: 287, 294.
 Prediction of response to treatment in E: 258-275, 290.
 Prevalence of bedwetting at different ages: 4-6, 39-46, 47-49, 109-110, 137-139, 206, 289, 304.
 Prevention of nocturnal E: 185, 281-284.
 Primary E (see also Nocturnal E)
 —, causes of: 156-171, 173-177.
 —, definition of: 26.
 —, differences from secondary E in response to treatment: 167-168, 248, 262-265, 270-272.
 —, EEG recordings in: 86-93.
 —, in association with psychiatric disturbance: 165-167, 298.
 —, prevalence of at different ages: 48-49, 138, 159.
 Problem families: 17.
 Propantheline: 233, 235.
 Protriptyline: see Tricyclic antidepressants.
 Psychiatric disorder
 —, anxiety secondary to E: 128-129, 173-174, 281-282, 304.
 —, associations with particular types or patterns of E: 123-124, 165-167.
 —, diagnosis of: 277-278.
 —, definition of: 118.
 —, deviant behaviours (e.g. nail-biting, tics) as evidence of in children with E: 110-111, 121-122, 264-265, 273, 275.
 —, due to stress events, as cause of E: 110-117, 133, 147, 176, 290-291, 298-299, 304-305.
 —, effect of on response to treatment: 246-247, 272.
 —, evidence for association with E: 110-111, 119-121, 140-142, 165.
 —, immature behaviours (e.g. late walking): 122-123, 138-139.
 —, management of in children with E: 278-280.
 —, major psychiatric syndromes: 121.
 —, measurement of: 119.
 —, nature of association with E: 124-133, 143-145, 160-167, 274, 276, 292, 297-298.
 —, nailbiting: 110-111, 121-122.
 —, nightmares: 80, 110.
 —, personality and social difficulties: 123, 278.
 —, relationship with severity of E: 123.
 —, temper tantrums: 121-122.
 —, thumb sucking: 121-122.
 —, tics and mannerisms: 121, 264-265, 273, 275.
 Psychiatrists, rôle of in E: 187-188.
 Psychogalvanic response, changes in before wetting: 80.
 Psychological factors in E: 109-147 (see also psychiatric disorder).
 Psychotherapy in treatment of E: 126, 167-168, 187-188, 204, 276-280.
 Psychopharmacology of nocturnal E: 231-257.
 Puberty, delayed, association with E: 11, 111.
 Punishments for wetting: 14, 53, 55-56, 123, 182, 184.
- R**
 Random arousal, in treatment of E: 207, 297.
 R.E.M sleep: 76, 78, 80, 192, 251.
 Recording dry nights, methods of: 184, 242.
 Relapse following cure of E
 —, definition of: 198-199.
 —, following buzzer treatment: 201-202, 218.
 —, following drug treatment: 218, 239-240.
 Research into E
 —, indications for: 252-253, 287-310.
 —, methodology of: 198-200, 241, 245-249, 258-261, 289-290, 295.
 Reserpine: 233, 234, 250.
 Restlessness, nocturnal, as predictor of response to treatment: 262-263, 265-266, 270, 272-273. (See also Depth of sleep.)
 Re-treatment, efficacy of in E: 198-199, 201-202, 218.
 Rewards in toilet training: 14, 184, 209, 279, 290.
- S**
 Secondary E
 —, associations with organic disease of urinary tract: 105.

- , associations with psychiatric disturbance: 125, 143-144, 165-167.
 - , associations with social class: 140.
 - , causes of: 27, 156-171, 173-177, 276.
 - , definition of: 26, 43, 173.
 - , EEG recordings in: 86-93.
 - , prevalence of at different ages: 5, 43, 48-49, 138, 159.
 - , differences from primary E in response to treatment: 167-168, 248, 262-265, 270-272.
 - Sensitive period for emergence of night-time dryness: 6, 19, 124, 305, 306.
 - Separation from parents as cause of E: 114-115, 182, 284, 299.
 - Sex
 - difference in aetiology of E: 137-139, 141-146, 159, 247, 292.
 - difference in prevalence of E: 42, 87, 109-110, 119.
 - difference in prevalence of psychiatric disorder in children with E: 142-146, 165, 292.
 - differences in rate of maturation: 306.
 - difference in prevalence of developmental delay: 138-139.
 - difference in response to treatment of E: 186, 247-248, 262-265, 273.
 - Sibling birth as cause of E: 110, 176, 276, 284, 308.
 - Sick-bay, reduced enuresis in: 11, 126.
 - Small-for-dates children and later E: 159.
 - Sleep: see Depth of sleep, Arousability, R.E.M. sleep.
 - Sleep cycle
 - , associations between wetting incidents and particular phases of sleep cycle: 76, 80-82, 86, 192, 251, 294.
 - Social class
 - , prevalence of E according to: 17, 51, 110, 132, 139, 169.
 - , as predictor of treatment response in E: 264-265, 270, 273.
 - Social deprivation
 - , association with E: 51-52, 290, 299.
 - , influence on treatment response: 209.
 - Somatic symptoms (headaches etc) as predictors of response to treatment of E: 261-262, 264-266, 271-274.
 - Special clinics, indications for referral in child with E: 187, 200.
 - Speech, early, as predictor of response to treatment of E: 261-262, 264-265, 269-270, 272-274.
 - Spina bifida occulta: 182.
 - Spontaneous remission
 - , rate of in nocturnal E: 206 (see also prevalence of E).
 - , as factor to be taken into account when assessing treatment response: 206, 240.
 - Stimulant drugs in treatment of E: 185, 192, 203, 219, 233-234, 245, 250-251.
 - Stress factors
 - , at age 2 to 4 associated with later E: 109-117, 133, 147, 176, 290-291, 298-299, 304-304, 308.
 - , at time of emergence of secondary E: 276, 291.
 - , bed sharing: 187, 264-267.
 - , broken homes: 16, 112-114, 131-132, 299.
 - , family disharmony: 16, 17, 131, 176, 183, 278-279, 299, 305.
 - , home moves: 182, 284.
 - , parental anxiety over bedwetting: 12, 17, 68, 119, 173-174, 181, 182, 198, 281-284, 304-306.
 - , separation from parent(s): 114-115, 182, 284, 299.
 - , sibling birth: 110, 276, 284, 308.
 - Symptom substitution following cure of E: 127-128.
- ## T
- Teaching, rôle of in acquisition of dryness: see Training and Learning.
 - Thioridazine: 233, 234.
 - Thousand family survey: 4, 5, 10, 16-19, 46, 47-52, 159, 169, 176, 287, 290, 306.
 - Threadworms in children with E: 155.
 - Training
 - , rôle of in acquisition of day-time dryness: 12-14, 55, 282, 290-291, 299, 302-303.
 - , rôle of in acquisition of night-time dryness: 5, 9-16, 55, 175, 282, 290-291, 295, 302-303.
 - , by example: 13-14, 290.
 - , child oriented approach to: 283-284.
 - , faulty toilet training as cause of anxiety preventing dryness: 26, 175-176, 302, 305, 308.
 - , potting of infants: 79, 282, 302.
 - , recommended age for starting toilet training: 13, 284.
 - Treatment of E: 179-284.
 - , aimed at changing social environment: 209.
 - , with buzzer alarm: see Buzzer alarm.

- , with dietary changes: 99, 296.
 - , with drugs: see Drugs, Tricyclic antidepressants, Amphetamines.
 - , by fluid restriction: 8, 184, 245.
 - Tribal societies
 - , prevalence of bedwetting amongst: 53-54.
 - , methods of training in: 54-55.
 - , management of bedwetting in: 55-56.
 - Tricyclic antidepressants (see also Drugs)
 - , amitriptyline: 192, 232, 236-238, 244, 250.
 - , anticholinergic effect of: 100, 186, 251-252, 296.
 - , antidepressant effect of: 249-250, 297.
 - , desipramine: 232, 236-238.
 - , dosage: 186, 242-243.
 - , differences in response related to age: 247.
 - , differences in response related to familial factors: 248.
 - , differences in response related to severity of enuresis: 248-249, 264.
 - , differences in response related to sex: 247-248, 297.
 - , differences in response related to type of enuresis: 248, 297.
 - , efficacy of in treatment of E: 186, 203-204, 235-239, 296-297.
 - , imipramine: 100, 126-127, 185-186, 192, 203, 204, 232, 233, 235-253, 258-265, 270-273, 296-297.
 - , in adults: 235, 246.
 - , in children with organic disorders: 248.
 - , in children with psychiatric disorder: 126, 246-247.
 - , in combination with buzzer alarm: 244, 250.
 - , in combination with other types of drugs: 244.
 - , in mentally subnormal children: 247.
 - , mechanism of action in cure of E: 100, 126, 249-252, 296-297.
 - , nortriptyline: 232, 236-238, 248.
 - , poisoning due to: 186.
 - , prediction of response to treatment with: 127, 258-265, 270-273, 290.
 - , protriptyline: 232, 250.
 - , psychotropic effect of: 126.
 - , reasons for treatment failure: 187, 243, 245.
 - , relapse following treatment with: 218, 239-240, 290.
 - , speed of response to treatment with: 186, 239-240.
 - , side effects of: 186, 244-245.
 - , trimipramine: 232, 236-238, 248.
 - Trimipramine: see Tricyclic antidepressants.
 - Twins, studies of E in: 73-76, 293.
- U**
- Urethral syndrome: 66.
 - Urgency (urge syndrome): 66-69, 152-154.
 - Urinary tract
 - infection, association with E: 49, 68, 96-101, 102-103, 181, 276.
 - infection, effect of on bladder capacity: 96-101.
 - , organic abnormalities of, association with E: 104-106, 154-156, 163, 181.
 - Urine examination: 103, 182.
 - Urography: 183.
- W**
- Wakefulness, occurrence of bedwetting during: 23-27, 86, 251.
 - Water load test (for measuring bladder capacity): 95, 295.
 - Weather, effects of on severity of E: 187, 245.